FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

EPA REG. NO.: MSDS Number: 00102	34704-1025 5-10-LPI M	SDS Revisions: New	Date of Issue: 08/31/10	Supersedes: New
PRODUCT NAME: CHEMICAL NAME: CHEMICAL FAMILY:	FIRST CHOICE® NA Mineral Oil Petroleum Oil	RROW RANGE 415 SPRAY OIL		
LOVELAND PRODUCTS, INC. P.O. Box 1286 • Greeley, CO 80632-1286			cy Phone: 1-800-424-9300 rgencies: 1-866-944-8565 se Center: 1-800-424-8802	

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN – CAUTION – Harmful if swallowed or absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash thoroughly before reuse.

This product is a colorless, oily liquid with no noticeable odor. Primary routes of entry are Inhalation, eye contact and skin contact.

NOTE TO PHYSICIAN: This product contains petroleum distillates and may pose and aspiration pneumonia hazard.

3. COMPOSITION, INFO	RMATION ON ING	REDIENTS			
Chemical Ingredients:	Percen	tage by Weight:	CAS No.	TLV (Units)	
Mineral Oil Inert ingredients			Mixture	5 mg/m ³	
4. FIRST AID MEASURE	S				
If swallowed:			ly for treatment advice. Do not give any l ol center or doctor. Do not give anything		
If in eyes:	Hold eye open and ri	nse slowly and gently with v	water for 15-20 minutes. Remove contact of control center or doctor for treatment ac	t lenses, if present, after the first 5	
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.				
If inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.				
FOR A MEDICAL EMERGENCY IN	volving This PRODUCT		ave the product label or container with	you when calling a poison control	
5. FIRE FIGHTING MEA	SURES				
FLASH POINT (°F/Test Meth FLAMMABLE LIMITS (LFL & EXTINGUISHING MEDIA:		> 200 ^o F / > 93.3 ^o C (TCC) Not established May be combustible at hig carbon dioxide, foam, wat	yh temperature, use medium appropriate	to surrounding fire. Dry chemical,	
HAZARDOUS COMBUSTION SPECIAL FIRE FIGHTING PR		May include but are not lin	nited to oxides of carbon, and/or other as ontainers exposed to fire. Remain upwind		
UNUSUAL FIRE AND EXPLO	OSION HAZARDS:	If water is used to fight fir water supplies.	e or cool containers, contain runoff, usi	ng dikes to prevent contamination of	
6. ACCIDENTAL RELEA	SE MEASURES				

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Contain the spill (wear the proper PPE) by absorbing spilled liquid with clay or other absorbent material; scoop or sweep up material and place in container. Decontaminate area by washing with soapy water solution and absorbing the water with absorbent material. Check local, state and federal regulations for proper disposal.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE

HANDLING:	Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if
	pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product.
	Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
STORAGE:	Keep out of reach of children and animals. Keep pesticide in original container. Store in a cool, dry place and avoid excess heat. Do not put concentrate or dilute material into food or drink containers. Do not contaminate water, food or feed by storage or disposal.

FIRST CHOICE® NARROW RANGE 415 SPRAY OIL

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS:	Pilots must use an enclosed cockpit that meets with requirements listed in the WPS for agricultural pesticides [40CFR 170.240 (d)(6)].
RESPIRATORY PROTECTION:	Not normally required, if vapors or mists exceed acceptable levels, wear a NIOSH approved respirator for oils and mists.
EYE PROTECTION: SKIN PROTECTION:	Chemical goggles or shielded safety glasses. Wear protective clothing: long-sleeved shirts and pants, shoes plus socks. Wear chemical-resistant gloves. OSHA PEL 8 hr TWA ACGIH TLV-TWA Oil Mist 5 mg/m ³ 5 mg/m ³

Personal Protective Equipment: Mixers, loaders, applicators, flaggers and other handlers must wear: long sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

9. PHYSICAL AND CHEMICAL PROPERTIES

 APPEARANCE AND ODOR: Colorless oily liquid with no noticeable odor
 SOLUBILITY: Emulsifies

 SPECIFIC GRAVITY (Water = 1): 0.85 g/ml
 BULK DENSITY: 7.10 lbs/gallon
 pH: 7.0

 VAPOR PRESSURE: <0.00001 mm Hg</td>
 BOILING POINT: >200°F / 93.4°C
 pH: 7.0

 PERCENT VOLATILE (by volume): Not established
 EVAPORATION RATE (Butyl Acetate = 1): Less than Butyl Acetate

 Note:
 These physical data are typical values based on material tested but may vary from sample to sample.
 Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

 STABILITY: Stable

 CONDITIONS TO AVOID: Excessive heat.

 INCOMPATIBILITY: Strong oxidizers.

 HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion may lead to formation of oxides of carbon and/or other asphyxiants.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): >5000 mg/kg Eye Irritation (rabbit): May cause irritation to eyes Acute Inhalation LC₅₀ (rat): Not established. Carcinogenic Potential: None listed in OSHA, NTP, IARC or ACGIH Acute Dermal LD₅₀ (rabbit): >2000 mg/kg Skin Irritation (rabbit): Not established Skin Sensitization (guinea pig): Skin sensitizer in certain individuals

12. ECOLOGICAL INFORMATION

Do not apply directly to water or areas where surface water is present or into inter-tidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

13. DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle. org. If not recycled, then puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 5 gallons and less than 56 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 56 gallons: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. For refillable containers: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling or reconditioning, if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

14. TRANSPORT INFORMATION

DOT Shipping Description: NOT REGULATED BY USDOT. **U.S. Surface Freight Classification:** ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610, CLASS 60)

15. REGULATORY INFORMATION

NFPA & HMIS Hazard Ratings:	NFPA	ŀ	HMIS	
	1 Health 1 Flammability 0 Instability	0 Least 1 1 Slight 1 2 Moderate 0 3 High E 4 Severe		
GARA Hazard Notification/Reporting GARA Title III Hazard Category:	Immediate <u>Y</u> Delayed <u>N</u>	Fire <u>N</u> Reactive <u>N</u>		
Reportable Quantity (RQ) under U.S. (SARA, Title III, Section 313: Not listed RCRA Waste Code: Not listed CA Proposition 65: Not listed				

MSDS STATUS: New

PREPARED BY: Registrations and Regulatory Affairs

®First Choice is a registered trademark of Crop Productiuon Services, Inc.

REVIEWED BY: Environmental/ Regulatory Services

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, Inc. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.